

Cidalkan

Hydroalcoholic disinfectant cleaner

For the cleaning and the disinfection by wet wiping

Use on surfaces (benches, trolleys, furniture), equipments (monitors), and medical devices that cannot be immersed (ultrasound transducers, intracavity transducers and endoscopes used with sheaths, hemodialysis generator, dental unit).

Hydroalcoholic solution with broad spectrum.

Complete antimicrobial efficiency in 5 minutes.

Quick drying : ideal between two patients.

Compatibility on ultrasound transducers, blood glucose testers.

Pleasant grapefruit perfume suitable for medical environment.

Directions for use

Spray

1. Spray on the surface or on a non-woven cloth. 2. Clean the surface thoroughly. 3. Leave the product to act 5 minutes. Do not rinse. 4. Use a fresh cloth for each equipment.


Wipes

1. Clean the surface thoroughly. 2. Leave the product to act 5 minutes. Do not rinse. 3. Use a fresh cloth for each equipment.



Presentation

- 1L spray bottle
- 2L jerrycan
- 5L jerrycan
- 120 wipes box (130x190mm)
- 200 wipes box (216x240mm)



Cidalkan

Hydroalcoholic disinfectant cleaner

For the cleaning and the disinfection
by wet wiping

Microbial Properties

| | TESTS | MICRO-ORGANISMS | CONTACT TIME |
|-----------------|-------------|--|--------------|
| Bacteria | EN 13727 | <i>Pseudomonas aeruginosa</i> , <i>Staphylococcus aureus</i> , <i>Enterococcus hirae</i> | 1 min |
| | EN 1276 | <i>Pseudomonas aeruginosa</i> , <i>Escherichia coli</i> , <i>Staphylococcus aureus</i> , <i>Enterococcus hirae</i> | 5 min |
| | EN 13697 | <i>Pseudomonas aeruginosa</i> , <i>Escherichia coli</i> , <i>Staphylococcus aureus</i> , <i>Enterococcus hirae</i> | 5 min |
| | EN 14561 | <i>Pseudomonas aeruginosa</i> , <i>Staphylococcus aureus</i> , <i>Enterococcus hirae</i> , <i>Acinetobacter baumannii</i> | 5 min |
| | EN 16615 | <i>Pseudomonas aeruginosa</i> , <i>Staphylococcus aureus</i> , <i>Enterococcus hirae</i> | 5 min |
| Fungi | EN 13624 | <i>Candida albicans</i> | 1 min |
| | EN 1650 | <i>Candida albicans</i> , <i>Aspergillus niger</i> | 5 min |
| | EN 13697 | <i>Candida albicans</i> , <i>Aspergillus niger</i> | 5 min |
| | EN 14562 | <i>Candida albicans</i> , <i>Aspergillus niger</i> | 5 min |
| | EN 16615 | <i>Candida albicans</i> | 5 min |
| Viruses | EN 14476 | Influenza A/H1N1 | 10 sec |
| | EN 14476 | Norovirus, HIV-1 | 30 sec |
| | EN 14476 | Hepatitis C, Herpes virus | 1 min |
| | EN 14476 | Hepatitis B, Rotavirus, Adenovirus | 5 min |
| Spores | EN 13704 | <i>Clostridium difficile</i> | 15 min |
| | NF T 72-281 | <i>Bacillus subtilis</i> | 5 min |

Composition

Liquid preparation, PT2/PT4, ready to use.
ETHANOL n°CAS : 64-17-5 620g/kg,
N,N(3-AMINOPROPYL) DODECYLAMINE
n°CAS: 2372-82-9 1,5g/kg.

Characteristics

- Physical state : liquid
- pH : 7.0 +/- 0.5
- Fragrance : grapfruit
- Color : colorless

Cautionary Notes

Use biocides safely. Before use,
read the label and product
information. MD class IIb.



Access health and
safety data sheets
online

CE 0459
1999



PROFESSIONAL USE



ALKAPHARM
Parc Biocitech, 102 Avenue Gaston Roussel,
93230 Romainville, France. WEB: www.alkapharm.fr
TEL: +33 (0)1 41 50 59 80 FAX: +33 (0)1 48 30 54 31
For UK: Pillaton Hall, Pillaton, Staffordshire ST19 5RZ
TEL: +44 (0) 1785 714 919 FAX: +44 (0) 1785 716 951

certified
ISO 9001/13485
Alkapharm
Targeting Infection